

TRANSIT VEHICLE WASH
SPECIALISTS

HEAVY DUTY BUS & TRUCK WASHES TWO BRUSH DRIVE THRU

Model DT212 DRIVE THRU H.D. WASH Maximum Vehicle Height 12 ft. Model DT214 Same unit modified for 14 ft. vehicle height

This wash is ideal for the Fleet Manager who is looking for high volume with good results. This is a proven design with low operating and maintenance costs, and has a galvanized frame for long life. Built in North America, with local service and maintenance available in all areas.

STANDARD WASH INCLUDES

- Pre-rinse arch
- Roof mop, stationary
- 2 wash brushes
- Final rinse arch
- Automatic soap metering
- Control panel
- Entrance traffic lights
- Electric eyes
- Guide rails

OPTIONS

- Chassis wash
- Wheel wash
- Roof mop Motorized
- Speed control
- Water reclaim
- Dryer
- Auto lube system
- Wax system
- Stainless steel skid plates
- Auto door control
- Splash walls




PSECO INC.

6201 Hwy 7, Unit 4, Woodbridge, Ontario L4H OK7 Tel: (905) 850-1887 Fax: (905) 850-2192

HEAVY DUTY BUS & TRUCK WASHES TWO BRUSH DRIVE THRU

SEQUENCE OF OPERATION



UTILITY REQUIREMENTS PROVIDED BY CUSTOMER:

Electrical Supply:

Provide 3 phase main service (voltage to suit) to Motor Control Panel Provide conduit/wiring from Motor Control Panel to Arches & Brush Module

Water Supply:

Provide main 2 1/2" cold water line @ 50 psi Provide piping from cold water line to Arches, Roof Mop & Brush Module

Compressed Air Supply:

Provide 1/2" air line @ 80 psi to Brush Module

Minimum Space Requirements:

Length: 45'
 Width: 18'
 Height: 13' 6" (Model DT212)

17' 6" (Model DT214)

PSECO INC.

6201 Hwy 7, Unit 4, Woodbridge, Ontario L4H OK7 Tel: (905) 850-1887 Fax: (905) 850-2192